

PRODUCT DATA SHEET

SikaCeram®-951 Tile Cleaner

Tile Cleaning Agent

DESCRIPTION

SikaCeram®-951 Tile Cleaner is a high-performance, adaptable cleaner designed for cleaning various types of tiles, including ceramic, porcelain, vitrified, etc.It can also be used for grout stain removal as well as scales on buckets, etc. It effectively removes tough stains and grime while preserving the original look of tiles

USES

- Tile Stain Removal: Effective for use on ceramic tiles, glazed tiles, porcelain tiles, vitrified tiles, glass mosaic tiles, sanitaryware, etc
- Grout Stain Removal : Removal of tile grout stains while filling of tile joints
- Routine Cleaning: For regular cleaning of bathrooms, kitchens, garages, and general tiling areas.

CHARACTERISTICS / ADVANTAGES

- Effective on Tough Stains: Easily removes hard-toclean spots and residues.
- Gentle on Tiles: Does not affect the color or shine of tiles.
- Versatile Cleaning: Suitable for light cleaning and deep stain removal.
- Multipurpose Use: Cleans ceramic, porcelain, and vitrified tiles, grout, and surfaces like concrete, asbestos, and terrazzo.

PRODUCT INFORMATION

Acidic Medium
1 litre x 12
Reddish Pink
12 months from date of production
The product must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +5 °C and +35 °C.
1.0 ± 0.04 kg/L (+27 °C)
≈ 2

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

ECOLOGY, HEALTH AND SAFETY

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and con-

Product Data Sheet

SikaCeram®-951 Tile Cleaner August 2025, Version 02.01 021790600000000041 tains physical, ecological, toxicological and other safety-related data.

APPLICATION INSTRUCTIONS

- For Regular Stains: DiluteSikaCeram®-951 Tile Cleaner with water in a 1:1 ratio. Soak a sponge or cloth in the diluted solution and scrub the surface until clean.
- For Tougher Stains: Use SikaCeram®-951 Tile Cleaner undiluted. Test a small area first to ensure compatibility.

MAINTENANCE

CLEANING

After application ,rinse the surface with water after 5 minutes to remove acidic stains

LOCAL RESTRICTIONS

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika India Pvt. Ltd.

620, Diamond Harbour Road Commercial Complex II Kolkata - 700 034 West Bengal, India

Contact:

Phone: +91 33 2447 2448 Fax: +91 33 2397 8688 info.india@in.sika.com www.sika.in









Product Data Sheet SikaCeram®-951 Tile Cleaner August 2025, Version 02.01 021790600000000041

