

# PRODUCT DATA SHEET

# Sikaplan® WP Control Socket 6

# PVC control and injection flange

## **DESCRIPTION**

Sikaplan® WP Control Socket 6 is a flange element with a connection socket for a 6 mm diameter hose. It is based on flexible polyvinylchloride (PVC-p) and is heat welded to Sikaplan® WP waterproofing membranes.

#### **USES**

The product is used as a:

- Access port for leak detection and resin injection in basement waterproofed compartments
- Access port for leak detection and resin injection in tunnel waterproofed compartments

# **CHARACTERISTICS / ADVANTAGES**

- Part of the complete waterproofing membrane system
- Proven performance over decades
- Very good workability
- Solid base plate that does not deform while placing the concrete
- No concrete underflow
- Contains no DEHP (DOP) plasticisers
- Compatible with all Sika® PVC waterproofing membranes
- Easy application

## PRODUCT INFORMATION

PVC-p	
Product packed in boxes	
Appearance	Round base plate with hose connection socket for attaching injection hose
Colour	black and blue
5 years from date of prod	duction
The product must be stored in original unopened and undamaged packaging in dry conditions and temperatures between +5 °C and +35 °C. Always refer to packaging.	
~180 mm	
~0.08 kg	
	Product packed in boxes  Appearance  Colour  5 years from date of product must be sto aging in dry conditions at ways refer to packaging.  ~180 mm

Product Data Sheet Sikaplan® WP Control Socket 6 May 2022, Version 02.01 020720804000000013

#### SYSTEM INFORMATION

#### System structure

#### **ANCILLARY PRODUCTS:**

- Sikaplan® WP waterproofing membranes
- Sikaplan® W Control Tube PU 6 mm
- Sikaplan® W Connection Piece 6 mm
- Sikaplan® W Injection Piece
- Sikaplan® W Lock Cap 6 mm
- Sikaplan® W Lock Connection Cap 6 mm
- Sika® Injection-306

## **BASIS OF PRODUCT DATA**

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

# **ECOLOGY, HEALTH AND SAFETY**

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

## APPLICATION INSTRUCTIONS

#### **IMPORTANT**

#### Strictly follow installation procedures

Strictly follow installation procedures as defined in Method Statements, application manuals and working instructions which must always be adjusted to the actual site conditions.

## **APPLICATION**

For information on application, refer to the following Sika® method statements:

- Sikaplan® WP sheet membrane (PVC) system for waterproofing basements and other below ground structures
- Sikaplan® WP sheet membrane (PVC) system for waterproofing tunnels

#### **IMPORTANT**

# Application by trained personnel

The application of this product must only be carried out by Sika® trained and/or approved contractors, experienced in this type of application.

## LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for exact product data and uses.

#### **LEGAL NOTES**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

#### Sika India Pvt. Ltd.

620, Diamond Harbour Road Commercial Complex II Kolkata - 700 034 West Bengal, India

#### Contact:

Phone: +91 33 2447 2448 Fax: +91 33 2397 8688 info.india@in.sika.com www.sika.in











