

## PRODUCT DATA SHEET

# SikaControl®-75 (IN)

## Shrinkage Reducing Admixture

### DESCRIPTION

SikaControl®-75 (IN) is a shrinkage reducing admixture used to produce high performance concrete with greatly reduced drying shrinkage.

### USES

SikaControl®-75 (IN) has been specifically formulated for use in all concrete application where there is a requirement for reduced shrinkage.

- In-situ concrete floors where reduced shrinkage minimizes risk of shrinkage cracking for the same joint spacing, and allows greater joint spacing without increasing the risk of shrinkage cracking
- In thin bonded topping slabs, to minimize the difference in shrinkage between the new topping and the existing substrate
- In concrete elements which are restrained against shrinkage
- For durable concrete in marine environment
- For watertight concrete in reservoirs, sewage treatment plants, and dams.

### CHARACTERISTICS / ADVANTAGES

- Greatly reduced drying shrinkage
- Reduction in drying shrinkage cracking
- Reduces permeability
- Improved durability

### PRODUCT INFORMATION

<b>Packaging</b>	230kg drum
<b>Shelf life</b>	12 months from date of production if stored properly in undamaged unopened, original sealed packaging.
<b>Storage conditions</b>	Store in dry conditions at temperatures between +10°C and +40°C. Protect from direct sunlight and frost.
<b>Appearance / Colour</b>	Pink liquid
<b>Density</b>	0.99 kg/l at 25°C
<b>pH-Value</b>	≥ 6

## APPLICATION INFORMATION

<b>Recommended Dosage</b>	0.5% to 3% by weight of cement/Cementitious. Actual dosage to be finalised on the basis of site trials as per the performance requirements. Stir well before use.
<b>Dispensing</b>	The required dosage of SikaControl®-75 (IN) should be added to the concrete at the batching plant, with the gauging water or poured into the concrete simultaneously with it. Do not mix with dry cement.
<b>Compatibility</b>	SikaControl®-75 (IN) is compatible with admixtures manufactured to IS & ASTM Specifications, cements & pozzolans.

## BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## IMPORTANT CONSIDERATIONS

SikaControl®-75 (IN) should not be added to dry cement and aggregates. Trials required with available ingredients and other admixtures being used, before actual application.

## ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Material Safety Data Sheet containing physical, ecological, toxicological and other safety-related data.

## LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for exact product data and uses.

## LEGAL NOTES

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**Sika India Pvt. Ltd.**  
620, Diamond Harbour Road  
Commercial Complex II  
Kolkata - 700 034  
West Bengal, India

**Contact:**  
Phone: +91 33 2447 2448  
Fax: +91 33 2397 8688  
info.india@in.sika.com  
www.sika.in



**Product Data Sheet**  
SikaControl®-75 (IN)  
November 2021, Version 01.01  
02140304100000057

SikaControl-75IN-en-IN-(11-2021)-1-1.pdf