



130+&\$5 %&4\$3*15*0/

1HZ PHWDO GHFN IRU D QHZ SODQW R F K D Q L F D O O \ IDVWHQH G 6 D
1DJQDWKXSUD %DQJDORUH

130+&\$5 3&26*3&.&/54

7KHUPDOO\ EURNHQ PHFKDQLFDOO\
IDVWHQH G ILUH UDWHG LQVXODWHG 39&
PHPEUDQH V\ VWHPV RQ D PHWDO GHFN
\$UHD RI WKH URRI
LV DSSUR[LPDWHO\ VTP

130+&\$5 1"35*\$*1"/54

&OLHQW %RVFK
&RQVXOWDQW 6\QHUU\
\$SSOLFDWRU \$TXDWHFK

4*," 40-65*0/4

PHFKDQLFDOO\ IDVWHQH G 6 D
0HPEUDQH V\ VWHP RQ D PHW
GHVLJQH G WKHUPDOO\ EURN
XVHG IRU IL[LQJ 6DUQDWKHU
WKHUPDOO\ LQVXODWHG ERD

4*," 40-65*0/4

y6DUQDWKHUP
y6DUQD~O 6 /
y6DUQDFRO
y6DUQD~O * /
y6)7XEH)DVWHQH U
y6% DVWHQH U
y8% DU
y:HOGLQJ &RUG
y7HUPLQDWLRQ %DU
y6LND•H[]&
y6DUQDPHWDO

4*," */%*" 175 -5% \$POUBDU

% :LQJ 3KRQH
/RWXV &RUSRUDWH 3DUN)D[

2} :HVWHUQ ([SUHVV +LJKZD)LO LQIR LQGLD#LQ VLND FRP

*RUHJDRQ (DVW 0XPEDL :HEVLWH LQG VLND FRP **BUILDING TRUST**

