Sikagard 67, Component A

Revision Date 23.08.2019



1. PRODUCT AND COMPANY IDENTIFICATION

Product name	[:] Sikagard 67, Component A	
Product code	: 000000612092	
Type of product	: liquid	
Manufacturer or supplier's d	etails	
Company	 Sika India Private Ltd. Unit 501-502, B- Wing, 5th floc Lotus Corporate Park Off Western Express Highway Goregaon East Mumbai 400 063)r
Telephone E-mail address Emergency telephone num- ber	: +9122 6270 4038 : ehs.india@in.sika.com : +9122 6270 4038	

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Skin corrosion/irritation	: Category 2
Serious eye damage/eye irri- tation	: Category 2A
Skin sensitisation	: Category 1
Long-term (chronic) aquatic hazard	: Category 2
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	: Prevention:

Sikagard 67, Component A

Revision Date 23.08.2019



P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Concentration (%)
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤	25068-38-6	>= 25 - < 30
700)		
titanium dioxide	13463-67-7	>= 20 - < 30
kaolin	1332-58-7	>= 10 - < 20
glycerol	56-81-5	>= 1 - < 10

Hazardous components

4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

Sikagard 67, Component A



Revision Date 23.08.2019

If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	 irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Notes to physician	: Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.	
Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to enter drains or water courses.	
Hazardous combustion prod- ucts	: No hazardous combustion products are known	
Specific extinguishing meth- ods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	: Use personal protective equipment. Deny access to unprotected persons.	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	

7. HANDLING AND STORAGE

Sikagard 67, Component A

Revision Date 23.08.2019



Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.		Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Personal protective equipm	ent			
Respiratory protection	tilation is exposure The filter imum ex (gas/vap dling the	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.		
Hand protection	proved s	tandard should be	ous gloves complying w vorn at all times when ssessment indicates th	handling
Eye protection			vith an approved stand ment indicates this is n	
Skin and body protection	tration a	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		
Hygiene measures	practice.		lood industrial hygiene ink.	and safety

Components with workplace control parameters

Sikagard 67, Component A

Revision Date 23.08.2019



When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: various
Odour	: odourless
Odour Threshold	: No data available
рН	: No data available
Melting point/range / Freezing point	: No data available
	: Not applicable
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 23 hPa (17 mmHg)
Relative vapour density	: No data available
Density	: 1.45 g/cm3 (20 °C (68 °F) ())
Solubility(ies) Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: > 20.5 mm2/s (40 °C)
Explosive properties	: No data available

Sikagard 67, Component A



Revision Date 23.08.2019

Molecular weight	: No data available	
10. STABILITY AND REACTIVITY		
Reactivity	: No dangerous reaction known under conditions of normal use.	
Chemical stability	: The product is chemically stable.	
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.	
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
No decomposition if stored and	applied as directed.	

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700):

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity	LD50 Dermal (Rab	bit): > 20,000 mg/kg
-----------------------	------------------	----------------------

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Sikagard 67, Component A

Revision Date 23.08.2019

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components: reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight \leq 700): : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Toxicity to fish Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.8 mg/l aquatic invertebrates Exposure time: 48 h Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available Other adverse effects Product: Additional ecological infor-: Toxic to aquatic life with long lasting effects. mation

13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.

Sikagard 67, Component A

Revision Date 23.08.2019



Class Packing group Labels	: :	(epoxy resin) 9 III 9
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen-		UN 3082 Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) 9 III Miscellaneous Dangerous Goods 964 964
ger aircraft) IMDG-Code UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
Class Packing group Labels EmS Code Marine pollutant	· · ·	N.O.S. (epoxy resin) 9 III 9 F-A, S-F no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

16. OTHER INFORMATION

Date format

: dd.mm.yyyy

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.