

**BUILDING TRUST** 

# PRODUCT DATA SHEET Sika<sup>®</sup> Quartz-08 IN

Quartz powder for epoxy based putty and crack filler (Formerly AGGREGATE MICRO)

#### DESCRIPTION

Sika<sup>®</sup> Quartz-08 IN is graded, cleaned, dried fine quartz powder for epoxy based putty, smoothing coat and crack filling applications.

#### USES

Sika<sup>®</sup> Quartz-08 IN has been specially developed for use as very fine quartz filler for epoxy resin for following application:

- Putty / smoothing coat on screed, coving, repaired surfaces
- Crack filling

# **PRODUCT INFORMATION**

## **CHARACTERISTICS / ADVANTAGES**

- Compatible with Sikafloor<sup>®</sup> resin products
- Proper gradation ensuring good consistency
- Chemically inert
- Easily mixed with resin

Chemical base	Quartz powder	
Packaging 15 kg bag		
Shelf life	24 months from date of production	
Storage conditions	The product must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +5 °C and +30 °C. The packaging must be protected from moisture.	
Appearance / Colour	White quartz powder	
Grain size distribution	Very fine powder	

#### SYSTEM INFORMATION

System structure	Application	Product
	Primer	Sikafloor <sup>®</sup> -167 Primer / Sikafloor <sup>®</sup> -
		161 HC
	Putty / smoothing coat	Sikafloor <sup>®</sup> -167 Primer + Sika <sup>®</sup>
		Quartz-08 IN / Sikafloor®-161 HC
		+ Sika <sup>®</sup> Quartz-08 IN

Product Data Sheet Sika® Quartz-08 IN January 2023, Version 01.01 020816020010000056 Mixing ratio

Ratio
1:2
1:2.5

Note: The ratio mentioned above may be adjusted to consistency required for given application.

## **BASIS OF PRODUCT DATA**

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

# ECOLOGY, HEALTH AND SAFETY

User must read the most recent corresponding Safety Data Sheets (SDS) before using any products. The SDS provides information and advice on the safe handling, storage and disposal of chemical products and contains physical, ecological, toxicological and other safety-related data.

### LOCAL RESTRICTIONS

Note that as a result of specific local regulations the declared data and recommended uses for this product may vary from country to country. Consult the local Product Data Sheet for exact product data and uses.

# **LEGAL NOTES**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Sika India Pvt. Ltd. 620, Diamond Harbour Road Commercial Complex II Kolkata - 700 034 West Bengal, India



Phone: +91 33 2447 2448

Fax: +91 33 2397 8688

info.india@in.sika.com

Contact:

www.sika.in



Product Data Sheet Sika® Quartz-08 IN January 2023, Version 01.01 020816020010000056 SikaQuartz-08IN-en-IN-(01-2023)-1-1.pdf



**BUILDING TRUST**